

AGROCHEMICAL ACTIVE INGREDIENT

Gibberellic acid

Technical data sheet · Specifications revised 2026-10-27

Declared content and tolerances follow the FAO/WHO specification manual; properties are tested by CIPAC methods. The batch certificate of analysis reports the measured values of each delivery.

1 Identity

Item	Detail
CAS number	77-06-5
Molecular formula	C ₁₉ H ₂₂ O ₆ (346.4 g/mol)
PubChem record	CID 6466
Chemical class	Gibberellin plant growth regulator

2 Specifications and declared content

Specification	Content and tolerance
Gibberellic acid 90% TC	≥ 90% (900 g/kg)
Gibberellic acid 3% EC	3 ± 0.3%
Gibberellic acid 4% SL	4 ± 0.4%
Gibberellic acid 20% SP	20 ± 1.2%
Gibberellic acid 40% SP	40 ± 2%
Gibberellic acid 40% SG	40 ± 2%

3 Quality specification by formulation type

Technical material (TC)

Property	Requirement	Method
Active ingredient content	Not less than the declared minimum, with no upper limit	CIPAC
Identity	Confirmed by an identity test	CIPAC
Relevant impurities	Within the limits of the FAO specification for the active ingredient, where one exists	CIPAC
Water, insolubles and acidity	Stated where the specification of the active ingredient requires them	MT 30.6 · MT 191

Emulsifiable concentrate (EC)

Property	Requirement	Method
Active ingredient content	Declared content within the FAO/WHO tolerance shown for each specification	CIPAC
Emulsion stability	Within the limits of the product specification, in CIPAC waters A and D	MT 36.3
Persistent foam	≤ 60 mL after 1 min	MT 47.3
Stability at 0 °C	After 7 days at 0 ± 2 °C, separated solid or liquid ≤ 0.3 mL	MT 39.3
Stability at elevated temperature	After 14 days at 54 ± 2 °C, active ingredient ≥ 95% of the initial content and physical limits still met	MT 46.4

Soluble concentrate (SL)

Property	Requirement	Method
Active ingredient content	Declared content within the FAO/WHO tolerance shown for each specification	CIPAC
Dilution stability	Clear or opalescent after 24 h at 30 °C, with no more than a trace of sediment	MT 41.1
Persistent foam	≤ 60 mL after 1 min	MT 47.3
Stability at 0 °C	After 7 days at 0 ± 2 °C, separated solid or liquid ≤ 0.3 mL	MT 39.3
Stability at elevated temperature	After 14 days at 54 ± 2 °C, active ingredient ≥ 95% of the initial content and physical limits still met	MT 46.4

Water soluble powder (SP)

Property	Requirement	Method
Active ingredient content	Declared content within the FAO/WHO tolerance shown for each specification	CIPAC
Wettability	Completely wetted in 1 min without swirling	MT 53.3
Degree of dissolution and solution stability	≤ 2% retained on a 75 µm sieve	MT 179.1
Persistent foam	≤ 60 mL after 1 min	MT 47.3
Stability at elevated temperature	After 14 days at 54 ± 2 °C, active ingredient ≥ 95% of the initial content and physical limits still met	MT 46.4

Water soluble granules (SG)

Property	Requirement	Method
Active ingredient content	Declared content within the FAO/WHO tolerance shown for each specification	CIPAC
Degree of dissolution and solution stability	≤ 2% retained on a 75 µm sieve	MT 179.1
Persistent foam	≤ 60 mL after 1 min	MT 47.3
Dustiness	≤ 30 mg collected dust	MT 171.1
Stability at elevated temperature	After 14 days at 54 ± 2 °C, active ingredient ≥ 95% of the initial content and physical limits still met	MT 46.4

Shelf life: two years from release under the storage conditions on the label, unless the label states otherwise.

FAO/WHO Manual on the development and use of FAO and WHO specifications for chemical pesticides, 3rd edition (2025)

<https://doi.org/10.4060/cd7934en>

4 Hazard, transport and customs

Item	Detail
EU harmonised classification	No EU harmonised classification
Transport classification (pure substance)	Not regulated as dangerous goods
HS code, technical material (EU customs)	2932.20
HS code, formulations	3808.93
FAO specification	No FAO specification published

5 Packaging and supply terms

Item	Detail
Technical material	25 kg fibre drums or woven bags with liner; liquid technical material in 200 L drums
Liquid formulations	100 mL to 1 L bottles; 5, 10 and 20 L jerrycans; 200 L drums and 1,000 L IBC for bulk supply
Solid formulations	100 g to 1 kg aluminium foil bags; 5, 10 and 25 kg bags, cartons or fibre drums
Minimum order	Formulations from 1,000 L or 1,000 kg per specification; technical material from 1,000 kg. Smaller quantities for samples and registration trials.
Lead time	Usually 25 to 40 days after order confirmation and label approval.
Shipping terms	FOB, CFR or CIF from a Chinese port; dangerous goods packed and documented to the IMDG Code.
Payment	T/T or irrevocable letter of credit at sight.

6 Notes

Approved uses differ by country; the label registered in the destination market applies.

The current safety data sheet of the formulation supplied ships with each batch.

Product page: <https://huasheng.bio/products/cp-gibberellic-acid>